

# Accessories


## **A01 - A06 Accessories documentation**

- [Data Sheet](#)
- [Contact Us](#)

# Data Sheet

## Accessories (A01 - A06)


### A01 adapter

 engopl_A01-Adapter-85_1.jpg	<b>Features</b> <ul style="list-style-type: none"><li>• DB9 male port with nuts</li><li>• 9-pin terminal block</li><li>• DB9 black ABS plastic enclosure</li><li>• Operating temperatures: -40°C to +75°C</li><li>• 2 years warranty</li><li>• Customization of OEM is welcomed</li></ul>
--	---

### A02 adapter

 engopl_A02-Adapter-DB9-Male-with-Screw-To-9-Pin-Terminal-Block-96_7.jpg	<b>Features</b> <ul style="list-style-type: none"><li>• DB9 male port with screws</li><li>• 9-pin terminal block</li><li>• DB9 black ABS plastic enclosure</li><li>• Operating temperatures: -40°C to +75°C</li><li>• 2 years warranty</li><li>• Customization of OEM is welcomed</li></ul>
--	---


### A03 adapter

 engopl_A03-Adapter-DB9-Female-with-Nut-To-9-Pin-Terminal-Block-97_3.jpg	<b>Features</b> <ul style="list-style-type: none"><li>• DB9 female port with nuts</li><li>• 9-pin terminal block</li><li>• DB9 black ABS plastic enclosure</li><li>• Operating temperatures: -40°C to +75°C</li><li>• 2 years warranty</li><li>• Customization of OEM is welcomed</li></ul>
--	---


### A04 adapter

	<b>Features</b> <ul style="list-style-type: none"> <li>• DB9 female port with screws</li> <li>• 9-pin terminal block</li> <li>• DB9 black ABS plastic enclosure</li> <li>• Operating temperatures: -40°C to +75°C</li> <li>• 2 years warranty</li> <li>• Customization of OEM is welcomed</li> </ul>
---	--

## A05 adapter

	<b>Features</b> <ul style="list-style-type: none"> <li>• DIN-rail mounting kit</li> <li>• Green polyamide plastic enclosure</li> <li>• Dimensions: 43x10x19 mm</li> <li>• Operating temperatures: -20°C to +70°C</li> <li>• Humidity: 5% - 95% RH</li> <li>• 2 years warranty</li> <li>• Customization of OEM is welcomed</li> </ul>
---	--

## A06 adapter

	<b>Features</b> <ul style="list-style-type: none"> <li>• Right angle adapter</li> <li>• DB9 female port with nuts</li> <li>• DB9 male port with screws</li> <li>• DB9 black ABS plastic enclosure</li> <li>• Operating temperatures: -20°C to +70°C</li> <li>• 2 years warranty</li> <li>• Customization of OEM is welcomed</li> </ul>
---	--

## Additional notes

Related information and links		
<a href="#">Ordering information</a>	<a href="#">Accessories</a>	<a href="#">Similar products</a>

## Products family sample photo



<https://redisage.com>

**DISCLAMER NOTES**

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Datasheet-ID:

SR-D

# Contact Us

- [Main web page](#)
- [Facebook](#)
- E-mail:  
[online@redisage.com](mailto:online@redisage.com)
- Phone number:  
+48 71 70 00 140
- Address:  
NSG 4L Sp. z o.o.  
ul. Trzy Lipy 3B  
80-172 Gdańsk  
(POLSKA)
- [More information](#)