

Accessories


A01 - A06 Accessories documentation

- [Data Sheet](#)
- [Contact Us](#)

Data Sheet

Accessories (A01 - A06)


A01 adapter

 engopl_A01-Adapter-85_1.jpg	Features <ul style="list-style-type: none">• DB9 male port with nuts• 9-pin terminal block• DB9 black ABS plastic enclosure• Operating temperatures: -40°C to +75°C• 2 years warranty• Customization of OEM is welcomed
--	---

A02 adapter

 engopl_A02-Adapter-DB9-Male-with-Screw-To-9-Pin-Terminal-Block-96_7.jpg	Features <ul style="list-style-type: none">• DB9 male port with screws• 9-pin terminal block• DB9 black ABS plastic enclosure• Operating temperatures: -40°C to +75°C• 2 years warranty• Customization of OEM is welcomed
--	---


A03 adapter

 engopl_A03-Adapter-DB9-Female-with-Nut-To-9-Pin-Terminal-Block-97_3.jpg	Features <ul style="list-style-type: none">• DB9 female port with nuts• 9-pin terminal block• DB9 black ABS plastic enclosure• Operating temperatures: -40°C to +75°C• 2 years warranty• Customization of OEM is welcomed
--	---


A04 adapter

	Features <ul style="list-style-type: none"> • DB9 female port with screws • 9-pin terminal block • DB9 black ABS plastic enclosure • Operating temperatures: -40°C to +75°C • 2 years warranty • Customization of OEM is welcomed
---	--

A05 adapter

	Features <ul style="list-style-type: none"> • DIN-rail mounting kit • Green polyamide plastic enclosure • Dimensions: 43x10x19 mm • Operating temperatures: -20°C to +70°C • Humidity: 5% - 95% RH • 2 years warranty • Customization of OEM is welcomed
---	--

A06 adapter

	Features <ul style="list-style-type: none"> • Right angle adapter • DB9 female port with nuts • DB9 male port with screws • DB9 black ABS plastic enclosure • Operating temperatures: -20°C to +70°C • 2 years warranty • Customization of OEM is welcomed
---	--

Additional notes

Related information and links		
Ordering information	Accessories	Similar products

Products family sample photo



<https://redisage.com>

DISCLAMER NOTES

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Datasheet-ID:

SR-D

Contact Us

- [Main web page](#)
- [Facebook](#)
- E-mail:
online@redisage.com
- Phone number:
+48 71 70 00 140
- Address:
NSG 4L Sp. z o.o.
ul. Trzy Lipy 3B
80-172 Gdańsk
(POLSKA)
- [More information](#)