

# Data Sheet

## Accessories (A01 - A06)


### A01 adapter



#### Features

- DB9 male port with nuts
- 9-pin terminal block
- DB9 black ABS plastic enclosure
- Operating temperatures: -40°C to +75°C
- 2 years warranty
- Customization of OEM is welcomed


### A02 adapter



#### Features

- DB9 male port with screws
- 9-pin terminal block
- DB9 black ABS plastic enclosure
- Operating temperatures: -40°C to +75°C
- 2 years warranty
- Customization of OEM is welcomed


## A03 adapter



#### Features

- DB9 female port with nuts
- 9-pin terminal block
- DB9 black ABS plastic enclosure
- Operating temperatures: -40°C to +75°C
- 2 years warranty
- Customization of OEM is welcomed


## A04 adapter



#### Features

- DB9 female port with screws
- 9-pin terminal block
- DB9 black ABS plastic enclosure
- Operating temperatures: -40°C to +75°C
- 2 years warranty
- Customization of OEM is welcomed

## A05 adapter



#### Features

- DIN-rail mounting kit
- Green polyamide plastic enclosure
- Dimensions: 43x10x19 mm
- Operating temperatures: -20°C to +70°C
- Humidity: 5% - 95% RH
- 2 years warranty
- Customization of OEM is welcomed

## A06 adapter



#### Features

- Right angle adapter
- DB9 female port with nuts
- DB9 male port with screws
- DB9 black ABS plastic enclosure
- Operating temperatures: -20°C to +70°C
- 2 years warranty
- Customization of OEM is welcomed

## Additional notes

#### Related information and links

[Ordering information](#)

[Accessories](#)

[Similar products](#)

## Products family sample photo



<https://redisage.com>

#### DISCLAIMER NOTES

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

## Datasheet-ID:

SR-D

Revision #6  
Created 8 April 2024 12:22:00  
Updated 26 July 2024 14:50:09 by Jan Górski